


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	3/5/10	D.GRIFFIN



LENGTH CODE CHART		
CABLE# & LENGTH	LENGTH SYMBOL	EXAMPLES OF PART# USED
CA-RSPRNPA $\underline{\text{XXX}}$	WHERE XXX = LENGTH IN FEET	CA-RSPRNPA010 (10 FEET)
CA-RSPRNPA $\underline{\text{NXX}}$	WHERE NXX = LENGTH IN INCHES	CA-RSPRNPA $\underline{\text{N16}}$ (16 INCHES)
CA-RSPRNPA $\underline{\text{MXX}}$	WHERE MXX = LENGTH IN METERS	CA-RSPRNPA $\underline{\text{M07}}$ (7 METERS)
CA-RSPRNPA $\underline{\text{XMX}}$	WHERE XMX = LENGTH IN DECIMAL METERS	CA-RSPRNPA $\underline{\text{3M5}}$ (3.5 METERS)

NOTE:

1. CABLE ASSEMBLIES TO BE TESTED FOR CONTINUITY.
2. CABLE ASSEMBLIES TO BE PACKAGED INDIVIDUALLY IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: $\leq 12$ [305] = +1 [25] / -0 $>12$ [305] $\leq 60$ [1524] = +2 [51] / -0 $>60$ [1524] $\leq 120$ [3048] = +4 [102] / -0 $>120$ [3048] $\leq 300$ [7620] = +6 [152] / -0 $>300$ [7620] = +3% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = $\pm .2$ .XX = $\pm .02$ .XXX = $\pm .005$	APPROVALS DRAWN BY D. PARHAM CHECKED BY D. CASTRO APPROVED BY K. BURGNER	DATE 03/04/2010 03/04/2010 03/04/2010	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845		
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	CATEGORY <b>CATALOG PARTS</b>		PRODUCT DESCRIPTION <b>CA,CA-195 RP-SMA P/RP-N P</b>	
PROJECTION 	COLOR VARIATIONS MAY OCCUR	SIZE <b>A</b>	FSCM NO. <b>43321</b>	DWG. NO. <b>CA-RSPRNPA</b>	REV. <b>A</b>
SCALE: NONE		CAD FILE: CA-RSPRNPA.SLDDRW		SHEET 1 OF 1	