


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	09/30/2020	MBLACKWOOD
B	ECN 10939 CORRECT CONNECTOR DESCRIPTIONS	01/19/2021	MBLACKWOOD



- NOTES:
- ELECTRICAL TEST:
 - COMPONENT SHALL NOT HAVE ANY OPEN/SHORT, MISWIRING OR INTERMITTENT FAILURES.
 - VOLTAGE TEST: DC 300V 10MS;
INSULATION RESISTANCE: 10.0M ohm/min;
CONDUCTOR RESISTANCE: 2.0 ohm/max.
 - ALL DIMENSIONS ARE FOR REFERENCE ONLY.
 - COMPONENT SHALL BE INDIVIDUALLY PACKAGED IN A CLEAR POLYBAG AND LABELED PER L-COM SPEC LSP-010-2.

PIN OUT

J1	J2	J1	J2
3	12	16	15
5	10	18	17
1	11	14	16
9	9	2	18
11	7	4	13
7	8	6	14
15	6	19	19
17	4	20	20
13	5	S	S
10	3		
12	1		
8	2		

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0 ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 [5] FRACTIONS ± 1/32 .XX = ± .02 [.5] ANGLES ± 1° .XXX = ± .005 [.13]	APPROVALS DFRISIELLO CHECKED BY BPUCHASKI APPROVED BY MBLACKWOOD	DATE 09/22/2020 09/30/2020 09/30/2020	50 High Street, West Mill, North Andover, MA 01845 USA. Phone: 1.800.341.5266 1.978.682.6936
	THIRD-ANGLE PROJECTION 		
CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY		PRODUCT DESCRIPTION MINI-DP F TO DP F CONVERTOR (KEYSTONE PANEL MOUNT)	SCALE: NONE CAD FILE: VPC00002.SLDDRW
COLOR VARIATIONS MAY OCCUR		SIZE A	CAGE CODE 43321
		ITEM NO. VPC00002	REV. B
		SHEET 1 OF 1	