

HyperLink 4.9/5.8 GHz 27 dBi High Performance Lightweight Die Cast Reflector Grid Antenna Model: HG4958-27EG

Features

- Superior Performance
- UV Stable Light Gray Powder Coat Finish
- All Weather Operation
- Point to Point, Point to Multi-point Systems
- Wireless Bridges and Backhaul Applications



Applications

- 5.1/5.3/5.4/5.8 GHz UNII and ISM Applications
- Homeland Security
- 4.9GHz Public Safety Services: Fire, Police, Security
- Point to Point, Point to Multi-point Systems
- Wireless Bridges and Backhaul Applications



Description

Superior Performance

The HyperGain HG4958-27EG High-Performance Reflector Grid Wi-Fi Antenna is ideal for long-range highly directional 5.1/5.3/5.4/5.8GHz ISM and UNII band applications. These antennas are ideal for point to point systems, point to multi-point and wireless bridges. Its compact design makes it nearly invisible in most installations, and it can be installed for either vertical or horizontal polarization.

Rugged and Weatherproof

The antennas' construction features a rustproof cast aluminum reflector grid for superior strength and lightweight. The 2-piece reflector grid is simple to assemble and significantly reduces shipping costs. The grid surface is UV powder coated for durability and aesthetics. The open-frame grid design minimizes wind loading.

This antenna is supplied with a 60-degree tilt and swivel mast mount kit. This allows installation at various degrees of incline for easy alignment. They can be adjusted up or down from 0° to 60°.



Vertical or Horizontal Polarization



Tilt & Swivel Mast Mount

Specifications

Mechanical Specifications

Connector	N Female
Weight	3.35lbs (1.52kg)
Grid Dimensions	15.75" x 23.62" (400mm x 600mm)
Mounting Mast Diameter	1.58" x 1.97" (40-50MM)


Electrical Specifications

Frequency	4900-5850
Gain	27dBi
Horizontal Beamwidth	6°
Vertical Beamwidth	9°
Polarization	Vertical or Horizontal
Impedance	50Ohm
F/B Ratio	25dB
Max. Input Power	100 Watts
VSWR	< 1.5
Lightning Protection	DC Short

Wind Loading Data

Wind Speed (MPH)	Loading
100	20.0 lb.
120	31.0 lb.

RF Antenna Patterns



Guaranteed Quality