

Fixed Click Type Torque Wrench With 20mm Bit
For N Connectors Pre-set to 14 in-lbs



LC-TWC1420MM

Features

- Designed for continual use
- Will “click” once preset torque value is achieved
- Designed to avoid over torque

Applications

- Attaching test cables in lab environments
- Final production attachment
- Field install and testing applications
- Applying accurate torque
- Avoiding over torque

Description

LC-TWC1420MM click type torque wrench, designed for type N connectors, has a 20mm bit with a preset value of 14 in-lbs. L-com’s LC-TWC1420MM click type torque wrenches allow accurate mating force when assembling and disassembling a variety of RF coaxial connectors. The unique feature of click type RF wrenches is that once the preset torque value is reached, they will “click” which can be heard and felt, followed by a slight bend at the head, alerting the user to stop applying torque to the connector. L-com’s click type N torque wrenches are in-stock and also available for a wide variety of other RF connectors, all of which ship the same day.

Configuration

Torque Type	Fixed
Design Type	Click Type
Hex Size	20 mm
Torque Setting	14 in-lbs [1.58 Nm]
Torque Accuracy Percentage	±4 %

Size

Length	6.8 in [172.72 mm]
Handle Diameter	1 in [25.4 mm]
Weight	0.3935 lbs [178.49 g]
Handle Color	Blue

Compliance Certifications (see [product page](#) for current document)

Notes:

- Do not use on damaged connectors.
- To improve performance of a wrench that hasn’t been used recently, actuate the wrench by clicking the wrench head back and forth several times before use. This will spread the lubricant through the internal mechanism.
- Click type tools require smooth consistent application of force. Each torquing action should be completed within 2 seconds. Slower or faster torquing action will detract from accuracy.

Fixed Click Type Torque Wrench With 20mm Bit For N Connectors Pre-set to 14 in-lbs from L-com has same day shipment for domestic

Click the following link (or enter part number in “SEARCH” on website) to obtain additional part information including price, inventory and certifications:
[Fixed Click Type Torque Wrench With 20mm Bit For N Connectors Pre-set to 14 in-lbs LC-TWC1420MM](#)

Fixed Click Type Torque Wrench With 20mm Bit
For N Connectors Pre-set to 14 in-lbs

LC-TWC1420MM



and International orders. Our portfolio includes coaxial cable assemblies, connectors, adapters and custom products as well as lightning and surge protectors, NEMA rated enclosures, and an RF product line which includes antennas, amplifiers, passive, and active components.

The information contained within this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part in order to impliment improvements. L-com reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. L-com does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and L-com does not assume liability arising out of the use of any part or document.

Fixed Click Type Torque Wrench With 20mm Bit For N Connectors Pre-set to 14 in-lbs

L-com CAD Drawing

REVISIONS		
REV.	DESCRIPTION	DATE
A	INITIAL RELEASE	2/18/2022
		APPROVED A. GANWANI

NOTES:

- LABEL TO INCLUDE:
 - PART NO.
 - TORQUE VALUE, SIZE.
- TORQUE VALUE: 14 in-lbs [1.58 Nm].
- SIZE: 20mm HEX.

THESE COMMODITIES, TECHNOLOGY OR SOFTWARE WERE EXPORTED FROM THE UNITED STATES IN ACCORDANCE WITH THE EXPORT ADMINISTRATION REGULATIONS. DIVERSION CONTRARY TO U.S. LAW PROHIBITED.

<p>UNLESS OTHERWISE SPECIFIED LEADING DIMENSIONS ARE IN INCHES DIMENSIONS IN [] ARE MILLIMETERS</p> <p>TOLERANCES:</p> <p>.X = ±.2 [5.08] FRACTIONS ± 1/32 .XX = ±.02 [.51] ANGLES ± 1° .XXX = ±.005 [.13]</p> <p>CABLE LENGTH (L) TOLERANCES:</p> <p>L ≤ 12 [305] = +1 [25] / -0 12 [305] < L ≤ 60 [1524] = +2 [51] / -0 60 [1524] < L ≤ 120 [3048] = +4 [102] / -0 120 [3048] < L ≤ 300 [7620] = +6 [152] / -0 300 [7620] < L = +5%L / -0</p> <p>ALL DIMENSIONS SHOWN ARE FOR REFERENCE ONLY.</p>	<p>L-com™ an INFINITE brand</p> <p>50 High Street, West Mill, 3rd Floor, Suite #30 North Andover, MA 01845 USA. Phone: 1.800.341.5266 1.978.682.6936 Fax: 1.978.689.9484 Website: www.L-com.com E-mail: CustomerService@L-com.com</p> <p>THIRD-ANGLE PROJECTION</p> <p>THE INFORMATION AND DIMENSIONS SHOWN ARE THE PROPERTY OF L-COM GLOBAL CONNECTIVITY. ALL RIGHTS RESERVED.</p> <p>SHEET 1 OF 1</p> <p>SCALE N/A</p>	<p>SIZE A CAGE CODE A DRAWN BY K.DANG ITEM NO. LC-TWC1420MM</p> <p>REV A</p>
--	--	---